

2025

SUMMERSPACE.COM

PORCH & PATIO

PORCH ENCLOSURE SYSTEMS






JUST RELAX...

and imagine the feeling of kicking back and enjoying your favorite outdoor space from inside your perfectly enclosed patio, free from insects and impervious to weather.





Prior to adding porch panels, this space was susceptible to insects and wildlife.

Our Porch Enclosure System in Forest Green frame blends perfectly for a seamless look.



TOTAL TRANSFORMATION

Porch Enclosure Systems by SummerSpace® are a perfect way to add comfort to any covered porch or patio. Our FlexScreen products are built with Clean & Clear screen mesh with watershed technology, which allows your screen to stay visually clear during heavy rain. These systems are a must-have on any porch, veranda or patio area.



PORCH & PATIO

The beauty of **Porch Enclosure Systems by SummerSpace®** is that they conform to any space. Custom made to fit almost any size porch opening, these systems consist of panels made with powder coated aluminum framing, tempered glass, and durable screen. Designed to be as functional, compact and strong as possible, we've engineered significant performance into a slender panel design for a weatherproof room that will endure for years. Panels connect securely for a quick and efficient installation.

SummerSpace Porch Enclosures allow you to turn your open porch into a retreat that's free of insects. Our Clean & Clear screen mesh with watershed technology allows your screen to stay visually clear during heavy rain. Use your porch as a bug free screen room in summer months. As the weather or seasons change, slide your tempered glass windows closed for a weatherproof room that can be enjoyed during cooler times of the year.





PANELS WITH MAIN GLASS SLIDERS AND 36" TEMPERED GLASS BASE



PORCH BEFORE PANEL INSTALLATION

These panels made a dramatic difference on this porch, turning it into living space that can be enjoyed all year. The sliding panes can be removed easily for a screen only room in warmer months.



SCREEN ONLY UPPER PANELS WITH MAIN TEMPERED GLASS SLIDERS REMOVED

PORCH ENCLOSURES ARE A



SMART INVESTMENT



SummerSpace® Porch Enclosure Systems offer a range of benefits for homeowners. One of the main advantages is their quick installation time, with most projects taking less than a day to complete. These panels are also custom-sized, ensuring a perfect fit for any porch or patio. Additionally, they require no additional finish under normal circumstances.

By enclosing a porch, homeowners can quickly gain additional living space that is both functional and aesthetically pleasing. Furthermore, this upgrade adds value to a home at a fraction of the cost of a four-season room. Porch Enclosure Systems provide flexibility, allowing homeowners to adapt to various weather conditions by easily sliding or removing the tempered glass and screens.



DURING INSTALLATION



SUMMERSHIELD™

All powder coatings and applications are not created equal. Our industry leading pretreatment and proprietary SummerShield powder coating finish exceeds AAMA 2604 specifications, including 3,000 hour salt spray testing. This super durable finish includes UV inhibitors that extend the life of the beautiful, fade resistant finish. Choose from fifteen low gloss, lightly textured finishes. SummerShield takes it one step further by infusing our coatings with anti-microbial technology for the ultimate in low maintenance finishes.



OUR TEXTURED FRAME COLOR SELECTIONS

SS9016 White Textured

SS905C Ander Black Textured

SS7042 Graystone Textured

SS1013 Almond Textured

SS7022 Bronze Textured

SS7031 Steel Blue Textured

SS1019 Sand Textured

SS907C Terra Stone Textured

SS5011 Navy Blue Textured

SS8017 Chocolate Textured

SS906C Sand Stone Textured

SS3005 Burgundy Textured

SS8022 Espresso Textured

SS7043 Mineral Gray Textured

SS6005 Forest Green Textured

ANATOMY OF A PANEL



Scan this QR code to learn more.



1
TOP VENT SLIDERS
Optional top vent tempered glass slider windows allow you to control room air ventilation.



2
SLENDER DESIGN
Durable components allow for a thin overall panel depth of 2½".



3
CUSTOM CONTROL
The handles on our window panes slide up and down effortlessly for personalized functionality.



4
INSECT CONTROL
Our panels are made with an incredibly durable mesh screen to keep insects out.




5
TEMPERED SAFETY GLASS
Our 4mm i89 Low-E Tempered Safety Glass is high performance with clear appearance & high light transmission.

PANEL STYLE SELECTION GUIDE

CUSTOM WINDOW PANELS WITH TEMPERED GLASS in 1/8" increments

Window panels have a 27" minimum width and a 96" maximum width.

Width:
10"-36" (fixed glass)
14"-36" (screen only)
14"-36" (screen with lift-out glass panels)




W3
Sliding window panel with transom and base
Overall window panel heights including transom and base up to 120"
Details about individual section parameters can be found under the pictures to the right.



W2T
Sliding window panel with transom
Overall window panel heights including transom up to 108"
Transom height with fixed glass or aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

WF2T



W1M
Main sliding window panel only
Min. height: 15" / Max. height: 72"

WF1



W2B
Sliding glass window and base
Overall window panel heights including base up to 108"
Base height with fixed glass or aluminum 12" to 36"
Base height with sliding glass 14" to 36"

WF2B

As a reference the panel shown above has an 18" base, a 66" window, and a 14" sliding glass transom. The use of a sliding glass transom is not recommended if the total height of the opening is less than 94", as it may interfere with your view.

When using a transom, it is recommended that it be used above all panels including the door(s) so the aesthetic appearance stays consistent and clean.

All sliding glass openings include a screen with standard mesh.

Base section available with fixed glass, aluminum or sliding glass with screen.

All panels 14" or wider are available as screen only.

Note: Panels that exceed 88" in both directions will require special handling as they do not fit inside of a common carrier trailer. Please ask us about alternative options.

DOOR STYLE SELECTION GUIDE

CUSTOM DOORS WITH TEMPERED GLASS *in 1/8" increments*


Double Door Range		60" to 106" in 1/8" increments				
EXAMPLES	Overall Door Width	60"	72"	84"	96"	106"
	Net Opening Width for Sliding Door	24"	30"	36"	42"	47"

Net opening with all doors removed is 5" less than the overall door width.

To calculate the approximate net opening with all doors in place, take the overall door width including the frame, divide by 2, minus 6".



D2
Sliding patio door with glass and screen
Widths from 60" to 106" | Door heights from 78" to 88"
Our 106" extra wide door is hot tub accessible




Sliding doors requiring a solid transom are available only with fixed aluminum. Because the door frames are shipped unassembled, we are unable to ship unframed pieces of glass. If glass is preferred, we recommend finding a local glass company that can supply and install it for you. The aluminum can be easily removed and used as a template. The glass thickness is 4mm or 1/2".

D2T
Sliding patio door with glass, screen and transom
Widths from 60" to 106" | Door heights from 78" to 88"
Overall door heights including Transom up to 120"
Transom height with fixed aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

Triple Door Range		96" to 124" in 1/8" increments		
EXAMPLES	Overall Door Width	96"	106"	124"
	Net Opening Width for Sliding Door	27.5"	30"	36"

Net opening with all doors removed is 5" less than the overall door width.

To calculate the approximate net opening with all doors in place, take the overall panel width including the frame, divide by 3, minus 6".



D3
Triple panel center sliding patio door with glass and screen
Widths from 96" to 124" | Door heights from 78" to 88"



D3T
Triple panel center sliding patio door with glass, screen & transom
Widths from 96" to 124" | Door heights from 78" to 88"
Overall door heights including Transom up to 120"
Transom height with fixed aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

Notes:

- Doors with glass include sliding and stationary glass panels and one sliding screen door.
- Doors ordered with screen only include stationary screen panels and one sliding screen door.
- Screen only doors from 78" to 92", transom height 14" to 36".
- All sliding windows include a screen unless otherwise specified.

STORM DOOR FRAME SELECTION GUIDE

FRAMES FOR STORM DOORS, 32"x80" & 36"x80"

Storm door not included.

FRAMES WITHOUT TRANSOM

FRAMES WITH TRANSOM



D1
Frame for storm door without transom
Frame height: 81.5"



D1F
Frame for storm door with aluminum filler
Frame heights from 83" to 87½"
(Openings between 81⅝" and 82⅞" must be filled with wood.)



D1T/solid
Frame for storm door with solid transom: fixed glass or aluminum



D1T/sliding
Frame for storm door with sliding glass windows and screen



D1T/screen
Frame for storm door with screen-only transom

Frame heights (with transom): **Range A:** 87⅝" to 96" | **Range B:** 96⅞" to 108" | **Range C:** 108⅞" to 120"

Note: The overall door panel width is 4¾" wider than the door size


Note: Storm door refers to a door with a Z-Bar frame for installation.

Aluminum filler would be used in installations where there is extra space above the door which is too small for a full transom.





PORCH & PATIO



EXTRUDED ALUMINUM

Aluminum is a versatile, stable building material used in many architectural, industrial, and building product applications because of its strength and durability. Aluminum is uniform in quality when extruded and will never rust. It is affordable, corrosion-resistant, and extremely strong, providing a great surface to powder coat for a lasting outdoor finish. Aluminum is also low maintenance, recyclable, and unlike roll-formed shaped products, aluminum extrusion is structurally stable. These are some of the many aspects of SummerSpace Porch Enclosure Systems that assure its long-lasting durability.



COLOR MATCHED TRIM

Our two-piece aluminum powder coated trim is a seamless way to add that finishing touch. Available in two sizes, our narrow width is 1 $\frac{3}{8}$ " to cover gaps up to $\frac{3}{4}$ " and a wider 1 $\frac{7}{8}$ " to cover gaps up to 1 $\frac{1}{4}$ ". This unique two-part trim design attaches easily to the panel with an easy snap on cap to hide the screws. With a beautiful panel-matching low gloss finish, this trim can be used inside, outside, or both. Our custom-matched silicone sealant is the perfect way to get a waterproof seal with a finishing touch. Touch-up paint pens are available for that occasional scratch or nick.

SILICONE SEALANT

Our silicone is made to match your frame!

We recommend one tube of color-matched sealant for every one to two panels.



Perfect
Our color matched sealants and touch-up




EASY TO REMOVE SASHES

For the days when the air is warm and the breeze is refreshing, you may want to simply have a screen enclosure for your porch. SummerSpace window panes are easy to remove and reinsert with minimal effort, allowing you to customize your comfort as the weather changes. To remove your panes, simply lift upward and slide out from the bottom. To reinsert, lift upward so the pane slides into the groove and allow it to slide down into place.



FLEXSCREEN®

SummerSpace® Porch Enclosure Systems are made exclusively with FlexScreen®. Created using flexible spring steel coated in exterior-grade PVC, the FlexScreen frame is nearly indestructible, scratch-resistant, and impervious to weather extremes. Held firmly in place by tension, the frame disappears into the screen pocket for an unobstructed view. FlexScreen installs and removes in seconds for easy cleaning. We're proud to offer this premium, hassle-free product on our popular SummerSpace® Porch Enclosure Systems!



TOUCH-UP PAINT PEN

detail.
paints give a seamless finishing touch!

Pens are available in all frame colors!

We recommend one pen of touch-up paint per project.



PORCH ENCLOSURE SYSTEMS

10 YEAR

TRANSFERABLE LIMITED WARRANTY

The SummerSpace® Porch Enclosure System includes a ten (10) year Limited Prorated* Warranty on manufacturer's defects only, and is fully transferrable from the date of purchase.

FRAME & FINISH

Our exclusive extruded aluminum frame is warranted against structural failure. SummerSpace powder coating finishes meet and exceed AAMA 2604 finish requirements, and are warranted against major discoloration, peeling, flaking, and blistering.

TEMPERED GLASS

Glass produced by SummerSpace meets all safety glazing standards including the federal safety glazing standard, CPSC 16 CFR 1201 and requirements of the Safety Glazing Certification Council ("SGCC").

SCREENS


SummerSpace FlexScreens are specifically warranted against abnormal deterioration and welded screen frame failure.



SummerSpace® will assume no liability to warranty this product for damage caused by the following: Normal wear and tear, or weathering; Improper installation or modification; Abuse/misuse for which this product was not intended; Improper maintenance or negligence; Severe weather; Saltwater corrosion; Screen tautness; Animal and insect damage; Fading or any other cause not as a result of a manufacturing defect.

THIS LIMITED WARRANTY DOES NOT COVER THE COST OF LABOR, APPLICABLE TAXES, SHIPPING, REMOVAL, RETURN, RE-INSTALLATION OR OTHER EXPENSES RELATED TO SUBMISSION OF A WARRANTY CLAIM. This warranty is in lieu of all warranties, expressed or implied, including warranties of merchantability and fitness for a particular purpose. SummerSpace will not be liable for any incidental or consequential damages. This warranty gives specific legal rights and you may also have other rights that may vary from state to state.

**This warranty is at a 100% value for years 1 through 5; thereafter, years 6 through 10 reduce by 20% per year.*



SUMMERSPACE® DEALER:



SS2025.Enclosures
Rev 5

